

3M™ Asbestos/Dust Respirator Kit 7535, P2

Technical Data Sheet

Description

A convenient respiratory kit designed for certain** asbestos tasks and environments containing dust. The kit comes complete with the 3M™ Half Face Reusable Respirator 7500 Series for comfort and durability. The respirator design helps reduce fogging when wearing eye protection (eyewear included).



Kit Contains:

- 1 × 3M™ Half Face Respirator 7500 Series (available S, M & L sizes)
- 2 x pair of 3M™ Particulate Filters 6035 P2/P3**
- 1 × 3M™ Respiratory Protection Guide
- All in a handy storage container

Applications

- Suitable for certain* asbestos work: Refer to government asbestos guidelines (Safe Work Australia or WorkSafe NZ)
- Lead paint removal
- Sanding, sawing, drilling, cutting, grinding, polishing
- Masonry, insulation, and powder coating
- Grain handling, food processing
- Construction/quarrying
- Pharmaceutical/powdered chemicals
- Water blasting
- Fibreglass installation

Features of 3M Particulate Filter 6035, P2/P3**

- Solid top design reduces premature caking, clogging, or soiling with dirt, grime, water or dust
- Protective casing aids decontamination practices
- Patented bonded web technology has more surface area than many standard filters which helps lower breathing resistance making it more comfortable to use
- Unique case making it easy to perform a quick self-fit check
- Temperature resistant cover protects filter media from heat, sparks or physical damage
- Very lightweight: 75 gms per pair

Standards

Complies with AS/NZS 1716:2012
(Respiratory protective devices).

Use in accordance with AS/NZS 1715:2009 (Selection, use and maintenance of respiratory protective equipment).

When selected and used in accordance with with the standard (AS/NZS 1715:2009), the 3M Particulate Filter 6035 is capable of providing protection against particulates at levels up to 10 times the Exposure Standard when used on a half face respirator.

* Refer to government asbestos guidelines (Safe Work Australia or Worksafe NZ)

** Higher P3 protection factors only achieved with a 3M Full Face Respirator, otherwise P2 protection level is applied when the 6035 filters are worn on a 3M Half Face Respirator.

Selecting respiratory protection when working with asbestos

Step 1

Refer to Safe Work# Australia or Worksafe NZ guidelines to identify the asbestos work procedure or task being performed.

Step 2

In accordance with the guidelines, align the work procedure with the required respirator options and filter type.

Step 3

3M offers a range of asbestos kits, depending on the recommended respirator option and filter type in the guidelines mentioned above. Select the appropriate kit.

Warning and Limitations

Particular attention should be given to warning statements where indicated.

Proper selection, fit, training, use and appropriate maintenance are essential in order for the product to help protect the wearer from certain airborne contaminants. Failure to follow all instructions on the use of these respiratory protection products and/or failure to properly wear the complete product during all periods of exposure may adversely affect the wearer's health, lead to severe or life threatening illness or permanent disability.

Always be sure that the complete product is:

- Suitable for the application;
- Fitted correctly;
- Worn during all periods of exposure;
- Replaced when necessary.

For suitability and proper use follow local regulations, refer to all information supplied or contact an occupational hygienist, safety professional or 3M Customer Service - Australia 1300 363 565 or New Zealand 0800 252 627.

Use this respirator system strictly in accordance with all User Instructions:

Including accompanying components of the system.

- Do not submerge the filters in liquid.
- Do not use in atmospheres containing less than 19.5% oxygen. (3M definition. Individual countries may apply their own limits on oxygen deficiency. Seek advice if in doubt).
- Do not use these products in pure oxygen or oxygen enriched atmospheres.
- Do not use for respiratory protection against atmospheric contaminants/concentrations which have poor warning properties or are unknown or immediately dangerous to life and health (IDLH) or against contaminants/concentrations which generate high heats of reaction with chemical filters.
- Do not use in concentrations above those specified in Technical Specifications.
- Leave the contaminated area immediately if:
 - Any part of the system becomes damaged.
 - Airflow to the face piece decreases or stops.

- Breathing becomes difficult or increased breathing resistance occurs.
- Dizziness or other distress occurs.
- You smell or taste contaminants or irritation occurs.
- Never alter, modify or repair this device.
- These products do not contain components made from natural rubber latex.
- In case of intended use in explosive atmospheres, contact 3M.

NOTE: Save all user instructions for continuing reference.

Shelf Life, Storage and Transportation

1) 3M™ Particulate Filter 6035, P2/P3

The filters should be stored in the packaging provided in dry, clean conditions away from direct sunlight, sources of high temperature.

Do not store outside the temperature range -20°C to +25°C or with humidity above 80%. When stored as stated, the expected shelf life is 5 years from date of manufacture.

End of shelf life date is marked on the product packaging. Before initial use, always check that the product is within the stated shelf life. When storing or transporting this product use original packaging provided.

2) 3M™ Half Face Respirator 7500 Series

Keep stored in the packaging provided in clean, dry conditions away from direct sunlight, sources of high temperature, petrol and solvent vapours. Do not store outside the temperature range -10°C to +50°C or with humidity above 90%.

Before initial use, always check that the product is within the stated shelf life. When storing or transporting this product use original packaging provided.

Technical Statement

Technical Information: The technical information, guidance, and other statements contained in this document or otherwise provided by 3M are based upon records, tests, or experience that 3M believes to be reliable, but the accuracy, completeness, and representative nature of such information is not guaranteed. Such information is intended for people with knowledge and technical skills sufficient to assess and apply their own informed judgment to the information. No license under any 3M or third party intellectual property rights is granted or implied with this information.

Product Selection and Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards. Failure to properly evaluate, select, and use a 3M product in accordance with all applicable instructions and with appropriate safety equipment, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property.

Ordering Information

SAP ID	Legacy ID	Availability		Model #	Description
		AUS	NZ		
7012866966	AT010601592	•	•	7535S	3M™ Asbestos/Dust Respirator Kit 7535, P2/P3, Small, 2 Kits/Case
7012869567	AT010601600	•	•	7535M	3M™ Asbestos/Dust Respirator Kit 7535, P2/P3, Medium, 2 Kits/Case
7012884104	AT010601618	•	•	7535L	3M™ Asbestos/Dust Respirator Kit 7535, P2/P3, Large, 2 Kits/Case

Important Notice

To the extent permitted by law, 3M shall not be liable for any loss or damage including any loss of business, loss of profits, or for any indirect, special, incidental or consequential loss or damage arising from reliance upon any information herein provided by 3M. Nothing in this statement will be deemed to exclude or restrict 3M's liability for death or personal injury arising from its negligence.

For Victoria and WA, refer to local State legislation

SCAN OR CLICK FOR:



QR-CAT-RR

Reusable
Respirator
Catalogue Section



QR-CAT-FULL

Full Personal
Safety Division
Catalogue



3M Australia Pty Ltd
Personal Safety Division
Bldg A, 1 Rivett Road
North Ryde NSW 2113
Customer Service: 1300 363 565
Email: 3msupport.safety.au@mmm.com
Web: www.3M.com/au/ppesafety

3M New Zealand Ltd
Personal Safety Division
94 Apollo Drive, Rosedale
Auckland 0632
Customer Service: 0800 252 627
Email: 3msupport.safety.nz@mmm.com
Web: www.3M.com/nz/ppesafety

3M is a trademark of 3M Company.
© 3M 2025. All rights reserved.