

# GIGA X3c: Specifications

## Recommended maximum daily output

---

Recommended maximum daily output	150
----------------------------------	-----

---

## Areas of use

---

Catering	✓
----------	---

---

Coffee to Go	✓
--------------	---

---

Office floor solutions	✓
------------------------	---

---

Seminar/conference facilities	✓
-------------------------------	---

---

Breakfast room	✓
----------------	---

---

## Specialities

---

Ristretto	✓
-----------	---

---

2 × Ristretto	✓
---------------	---

---

Espresso	✓
----------	---

---

2 × Espresso	✓
--------------	---

---

Coffee	✓
--------	---

---

2 × Coffee	✓
------------	---

---

Americano	✓
-----------	---

---

2 x Americano	✓
---------------	---

---

Lungo	✓
-------	---

---

2 x Lungo	✓
Special coffee	✓
2 x Special coffee	✓
Espresso doppio	✓
Pot of coffee	✓
Cortado	✓
2 x Cortado	✓
Espresso macchiato	✓
2 x Espresso macchiato	✓
Caffè latte	✓
2 x Caffè latte	✓
Cappuccino	✓
2 x Cappuccino	✓
Flat white	✓
2 x Flat white	✓
Latte macchiato	✓
2 x Latte macchiato	✓
Portion of milk foam	✓
2 x Portion of milk foam	✓
Portion of milk	✓
2 x Portion of milk	✓

Hot water	✓
Hot water for green tea	✓
Hot water for black tea	✓
Ground coffee	✓

## Specific benefits

Number of specialities	32
Speed function	✓
Automatic Grinder Adjustment (A.G.A.)	✓
Automatic switching between milk and milk foam	✓
Transmitter supplied as standard	Smart Connect

## JURA coffee machine standards

Pulse Extraction Process (P.E.P.®)	✓
Lungo function	✓
Variable brewing unit	5 – 16 g
Grinder	Electronically adjustable ceramic disc grinder
High-performance pump, 15 bar	2
Thermoblock heating system	2
Fluid systems	2
Milk system / interchangeable milk spout	HP3 / CX2

---

Powder chute for ground coffee	✓
--------------------------------	---

---

Active bean monitoring	✓
------------------------	---

---

## Operating and programming standards

---

Rotary Switch	✓
---------------	---

---

Display	4.3" touchscreen colour display
---------	---------------------------------

---

Position, duplicate and personalise products according to personal preference	✓
---	---

---

Individually programmable quantity of water for coffee	✓
--	---

---

Individually programmable coffee strength	10 levels
---	-----------

---

Individually programmable amount of milk/milk foam	✓
--	---

---

Individually programmable milk/milk foam temperature	10 levels
--	-----------

---

Individually programmable brewing temperature	3 levels
---	----------

---

Individually programmable hot water temperature	3 levels
---	----------

---

Intelligent Pre-Brew Aroma System with optional deactivation	✓
--	---

---

Generating code groups	✓
------------------------	---

---

Resettable day counter	✓
------------------------	---

---

Shows the number of preparations for each individual product	✓
--	---

---

## Connectivity

---

Smart Connect	✓
---------------	---

---

---

Wi-Fi Connect ✓

---

Payment Connect ✓

---

## Payment and telemetry systems

---

Pocket Pilot 2.0 ✓

---

Data Communicator ✓

---

## Hygiene standards

---

Filter cartridge CLARIS Pro Smart maxi / CLARIS Pro Smart

---

One-Touch milk system cleaning (automatic) ✓

---

Integrated rinsing, cleaning and descaling programme ✓

---

Monitored drip tray ✓

---

JURA hygiene: TÜV-certified ✓

---

## Energy standards

---

Energy Save Mode (E.S.M.©) ✓

---

Zero-Energy Switch or power switch ✓

---

Programmable switch-off time ✓

---

Programmable switch-on/switch-off time ✓

---

## Design and materials

Alu Frame Design© 3 mm	✓
Centre panel in Piano Black	✓
Cup illumination	✓

## In figures

Height-adjustable/width-adjustable dual spout	70 – 159 mm / –
Height-adjustable hot-water spout	69 – 165 mm
Water tank capacity	5 l
Bean container holding capacity	1 kg
Coffee grounds container (approx. servings)	40
Cable length	1.1 m
Voltage / power	230 V ~ / 2700 W
Current	10 A
Mains water connection thread size	3/4" thread size
Stand-by power	< 0,5 W
Weight	19 kg
Dimensions (W × H × D)	37 × 55.5 × 49.7 cm
Article number, product code	15665, Aluminium (INTB)
EAN code	7610917156658
Country of production	Made in Switzerland

---

Model year

2023

---

## Supplied as standard

---

Measuring spoon for ground coffee



Milk pipe including connector



Container for milk system cleaning



Milk system cleaner (mini tabs)



3-phase cleaning tablets



CLARIS Pro Smart+ filter cartridge



Instructions for use



Warranty conditions

