

X10: Specifications

Recommended maximum daily output

Recommended maximum daily output	100
----------------------------------	-----

Areas of use

Large offices	✓
---------------	---

Canteens	✓
----------	---

Self-service areas	✓
--------------------	---

Care facilities	✓
-----------------	---

Specialities

Espresso	✓
----------	---

2 × Espresso	✓
--------------	---

Cold Brew Espresso	✓
--------------------	---

Coffee	✓
--------	---

2 × Coffee	✓
------------	---

Cold Brew Coffee	✓
------------------	---

Americano	✓
-----------	---

2 xAmericano	✓
--------------	---

Cold BrewAmericano	✓
--------------------	---

Lungo	✓
-------	---

2 x Lungo	✓
Cold Brew Lungo	✓
Cortado	✓
2 x Cortado	✓
Cold Brew Cortado	✓
Caffè latte	✓
2 x Caffè latte	✓
Cold Brew Caffè latte	✓
Cappuccino	✓
2 x Cappuccino	✓
Cold Brew Cappuccino	✓
Cappuccino Extra Shot	✓
Flat white	✓
2 x Flat white	✓
Cold Brew flat white	✓
Flat white Extra Shot	✓
Latte macchiato	✓
2 x Latte macchiato	✓
Cold Brew Latte macchiato	✓
Latte macchiato Extra Shot	✓
Portion of milk foam	✓

2 × Portion of milk foam	✓
Portion of milk	✓
2 × Portion of milk	✓
Hot water	✓

Number of cups per hour (as per DIN 18873-2)

Espresso	92
2 × Espresso	134
Coffee	68
2 × Coffee	80
Cappuccino	72
2 × Cappuccino	104
Hot water	60

Specific benefits

Number of specialities	35
Cold Extraction Process	✓
Intelligent preheating	✓
Automatic switching between milk and milk foam	✓
Wi-Fi connection to home network	✓
Transmitter supplied as standard	-

JURA coffee machine standards

Pulse Extraction Process (P.E.P.®)	✓
Lungo function	✓
Variable brewing unit	5 – 16 g
Grinder	P.A.G.2+
High-performance pump, 15 bar	1
Thermoblock heating system	1
Fluid systems	1
Milk system / interchangeable milk spout	HP3 / CX2
Active bean monitoring	✓

Operating and programming standards

Display	3.5" colour display with buttons
Individually programmable quantity of water for coffee	✓
Individually programmable coffee strength	10 levels
Individually programmable amount of milk/milk foam	✓
Individually programmable milk/milk foam temperature	3 levels
Individually programmable brewing temperature	3 levels
Individually programmable hot water temperature	3 levels
Resettable day counter	✓

Shows the number of preparations for each individual product



Connectivity

Smart Connect



Wi-Fi Connect



Payment Connect



MDB Connect



Payment and telemetry systems

Pocket Pilot 2.0



Data Communicator



MDB Interface 2.0



Hygiene standards

Filter cartridge

CLARIS Pro Smart maxi / CLARIS Pro Smart+

One-Touch milk system cleaning (automatic)



Integrated rinsing, cleaning and descaling programme



Monitored drip tray



Lockable bean container and water tank



JURA hygiene: TÜV-certified



Energy standards

Energy Save Mode (E.S.M.©)	✓
Zero-Energy Switch or power switch	✓
Programmable switch-off time	✓

Design and materials

Cup illumination	✓
------------------	---

In figures

Height-adjustable dual spout with hot-water spout	63 – 150 mm
Water tank capacity	5 l
Bean container holding capacity	500 g
Bean container optionally expanded to	1 kg
Coffee grounds container (approx. servings)	40
Cable length	1.2 m
Voltage / power	230 V ~ / 1450 W
Current	10 A
Stand-by power	< 0,5 W
Weight	13.2 kg
Weight (net)	13.2 kg
Weight (gross)	17.1 kg

Dimensions (W × H × D)	37.3 × 47 × 46.1 cm
Dimensions (W×H×D) with bean container attachment	37.3 × 52.4 × 46.1 cm
Article number, product code	15668, Dark Inox (INTA)
Country of production	Made in Switzerland
Model year	2023

Supplied as standard

Milk pipe including connector	✓
Container for milk system cleaning	✓
Milk system cleaner (mini tabs)	✓
3-phase cleaning tablets	✓
CLARIS Pro Smart+ filter cartridge	✓
Instructions for use	✓
Warranty conditions	✓