

# MFC-J6975DW

## A3 Business Inkjet Multi-Function Printer



The premium Brother MFC-J6975DW A3 Multi-Function Printer is built for demanding workgroups, coming with up to 1 year and 4 months of ink in-box<sup>3</sup> and a 2-year warranty. It combines fast A4 print speeds up to 31ppm<sup>2</sup> with automatic 2-sided (duplex) A3 printing and scanning, so complex double-sided documents are easy to handle. Dual 250-sheet trays, a 100-sheet multi-purpose tray and a 50-sheet ADF provide plenty of paper on board

with flexible media handling, while support for long-length printing helps create impactful signage in-house. Ultra high-yield INKvestment cartridges deliver up to 12,000 black and 10,000 colour pages<sup>1</sup> to reduce interventions, while comprehensive connectivity (Dual Band Wi-Fi, Ethernet, NFC) and PCL/LDAP compatibility ensure seamless integration into secure, managed network environments.

<b>General</b>		<b>Standard Paper Capacity</b>	Upper Tray: Up to 250 Sheets, Lower Tray: Up to 250 Sheets
<b>Engine</b>	Colour Inkjet	<b>Multi-Purpose Tray Capacity</b>	Up to 100 sheets
<b>Warranty</b>	2 Years Return To Base	<b>Envelopes Input</b>	Up to 20 envelopes (Upper or MP tray only)
<b>Carton Contents</b>	Printer, Quick Setup Guide, Power Cord, Telephone Line Cord and Adaptor, Ink Cartridges - up to 5400 BK pages, up to 3900 C/M/Y pages based on ISO 24711 pattern/normal	<b>Output Paper Capacity</b>	Up to 100 sheets, Up to 50 sheets larger than A4/LTR
<b>Display</b>		<b>ADF</b>	Up to 50 sheets
<b>LCD Display</b>	8.8cm Colour LCD (Touchscreen)	<b>Media Weights Paper Tray</b>	Upper Tray: 64 - 220 gsm Lower Tray: 64 - 120 gsm
<b>Shortcuts</b>	18	<b>Media Weights MP Tray</b>	64 - 220 gsm
<b>Printer</b>		<b>Media Weights ADF</b>	64 - 120 gsm
<b>Standard Memory</b>	1GB	<b>Media Weights Duplex</b>	A4: 64 - 120 gsm Larger A4: 64 - 90 gsm
<b>Print Speed</b>	A4 Mono/Colour: 31/31 ipm (based on ISO/IEC 24734) A3 Mono/Colour: 7/6.5 ipm (based on ISO/IEC 24734)	<b>Media Size Paper Tray</b>	Upper Tray Landscape: A4, LTR, EXE Upper Tray Portrait: A3, LGR, LGL, Folio, A5, A6, Photo(10x15cm/4x6in), Indexcard(13x20cm/5x8in), Photo-L(9x13cm/3.5x5in), Photo-2L(13x18cm/5x7in), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Lower Tray Landscape: A4, LTR Lower Tray Portrait: A3, LGR, LGL, Folio, Mexico Legal, India Legal
<b>2 Sided Print Speed</b>	Up to 22/22 ipm (A4 Mono/Colour, based on ISO/IEC 24734) Up to 7/6 ipm (A3 Mono/Colour, based on ISO/IEC 24734)	<b>Media Size MP Tray</b>	Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6, Photo(10x15cm/4x6in), Indexcard(13x20cm/5x8in), Photo-L(9x13cm/3.5x5in), Photo-2L(13x18cm/5x7in), Com-10, DL Envelope, Monarch, C5, Mexico Legal, India Legal, Long paper(max length:1200mm)
<b>2 Sided Print</b>	Automatic up to A3/LGR	<b>Media Size ADF</b>	Width 105 to 297 mm, Length 148 to 431 mm (simplex), long paper length: 900mm
<b>A3 Print</b>	Yes (Duplex)	<b>Media Size Duplex</b>	PC Print: A3, LGR, LGL, Folio, A4, LTR, EXE, A5, Mexico Legal, India Legal Copy: A3, LGR, LGL, Folio, A4, LTR, A5, Mexico Legal, India Legal
<b>Emulation</b>	PCL6, BR-Script3, PDF version 2.0	<b>Media Size Scanner Glass</b>	Up to 297(W)/431.8(L)mm
<b>Printer Resolution</b>	Up to 1200 x 4800 dpi	<b>Media Types Paper Tray</b>	Upper Tray: Plain, Inkjet, Glossy, Recycled Lower Tray: Plain, Recycled
<b>Printer OS Compatibility</b>	Windows 11, Windows 10 (32&64bit), Windows Server 2022, Windows Server 2019, Windows Server 2016 macOS 13-26 <sup>3</sup> Linux rpm, deb	<b>Media Types MP Tray</b>	Plain, Inkjet, Glossy, Recycled
<b>First Print Out Time</b>	Approx: 5.0 sec/5.0 sec (Colour/Mono) from Sleep Mode	<b>Media Types ADF</b>	Plain, Recycled
<b>Resident Barcodes</b>	Code39, Interleaved 2 of 5, FIM(US-PostNet), Post Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93, GS1Databar, MSI		
<b>Resident Fonts</b>	PCL: 73 scalable fonts, 12 bitmap fonts Postscript: 66 scalable fonts		
<b>Quiet Mode</b>	Yes		
<b>Recommended Monthly Print Volume</b>	250 to 4,000 pages		
<b>Paper Handling</b>			

Media Types Duplex	Plain, Recycled
<b>Digital Copier</b>	
Copier Speed	Simplex: 25/16 ipm, Duplex: 18/13 ipm (Mono/Colour: based on ISO/IEC 24735)
First Copy Out Time	6/5sec(Colour/Mono) (based on ISO/IEC 24735 Annex D)
2 Sided Copy	Duplex Scan to Duplex Print
Copier Resolution	(Print) Max. 1200x4800 dpi, (Scan) Max. 600x600 dpi (FB) (Print) Max. 1200x4800 dpi, (Scan) Max. 300x600 dpi (ADF)
Reduction-Enlargement Ratio	25 - 400 percent in 1 percent increments
Copier N-in-1	2 in 1, 2 in 1(ID) & 4 in 1 (A4/A3/LTR/LGR Mono/Colour)
Copier Poster	Yes (3x3, 2X2, 1x2)
Copier Multi Sort	Yes
Copier Multi Stack	Up to 999 copies

## Fax

Modem Speed	33,600bps (Fax)
2 Sided Fax	Send/Receive
Colour Faxing	Document Send/Receive: Yes/Yes
ITU-T Group compatibility	Super G3
Telstra Duet Compatible	Yes
Speed Dials	100 x 2 locations
ECM	Yes
Out of Paper Reception	Up to 150 pages (ITU-T Test Chart)
Broadcasting	250 locations (200+50)
Automatic Reduction	Yes
Fax Forwarding	To Fax number or Email Address

## Fax Features

PC Fax	Send/Receive from Windows Send only from MAC / Linux (Network / USB)
Internet Fax	Yes - T37 protocol

## Digital Scanner

Scanner Colour/Mono	Colour
Scanner Colour Depth	48 bit input / 24 bit output colour
Scanning Technology	Dual CIS (up to A3/LGR)
2 Sided Scan	Single Pass (Up to A3/LGR from ADF)
Scanner Speed	Simplex: A4 portrait: 25ipm/25ipm A4 landscape: 19ipm/19ipm A3: 13ipm/13ipm Duplex: A4 portrait: 30ipm/30ipm A4 landscape: 24ipm/24ipm A3: 17ipm/17ipm @ (Mono/Colour) ISO/IEC 17991
Scanner Resolution (Optical)	From Glass: 1200x2400dpi(mono) / 1200x1200dpi(colour) From ADF: 600x600dpi(mono) / 300x600dpi(colour)
Scanner Resolution (Interpolated)	For Win 10/11, up to 19200x19200 dpi with Scanner Utility
A3 Scan	Yes (Duplex)
Scanning Area	Flatbed: 295(W) x 430(L)mm ADF: 295(W) x 430(L)mm
Scanner Grey Scale	256 levels
Scan to Email Client	Yes
Scan to Email Server	Yes
Scan to OCR	Yes
Scan to Image	Yes
Scan to File	Yes
Scan to FTP	FTP/SFTP
Scan to Media	USB memory drive
Scan to Sharepoint	On premise Server Via IPS (win), Office 365 via Web Connect

Scan to Network Folder	Windows Folder only
Scan To Cloud	Yes - See Web Connect
Network Scan	Windows/Mac
Scanner OS Compatibility	Windows 11, Windows 10 (32&64bit) macOS 13-26 <sup>3</sup> Linux rpm, deb
Twain Compliant	Windows: TWAIN or WIA for Windows 11, Windows 10 Mac: NA (Use AirPrint) Linux: SANE

## Scanner OS Compatibility

Digital-Media Type	USB Flash Memory
Digital-Media Spec	USB Flash Memory: Up to 256GB Full-Speed USB 2.0. USB Mass Storage standard. Supported formats: FAT12/FAT16/FAT32/exFAT
Digital-Media Format	Print: JPEG / PDF version 2.0 Scan to USB: JPEG/PDF (colour), TIFF/PDF (B&W)
Direct USB	Print/Scan

## Software

Software Available	Windows: Nuance Paperport 14SE and OCR, iPrint&Scan, Status Monitor, BRAdmin Light, BRAdmin Professional, PC Fax Send/Receive Mac: iPrint&Scan, PC Fax Send
SnapDragon	Oct 2025
iPrintScan Desktop	Windows/Mac
Brother Solutions Interface	Yes
Light Solutions	Optional (Barcode Print+, Secure Print+, Request Help, Order Supplies, Remote Panel, Barcode Utility, CustomUI) (Apply for Activation Code from Brother)
Kofax Compatible	AutoStore, ControlSuite, Equitrac
Driver Deployment Wizard	Windows only

## Connectivity

Interface	Hi-Speed USB 2.0, 10/100Base-TX/1000Base-T Ethernet, 2.4GHz IEEE 802.11b/g/n Wireless, 5GHz IEEE 802.11a/n Wireless, Wi-Fi Direct and NFC
USB Interface	Hi-Speed USB 2.0
Wired Interface	10Base-T/100Base-TX/1000Base-T Ethernet
Wireless Interface	2.4GHz IEEE 802.11b/g/n Wireless, 5GHz IEEE 802.11a/n Wireless, Wi-Fi Direct IEEE 802.11a/g/n
Wi-Fi Direct	Yes - Up to 4 connections
USB Host	Direct Print/Scan External IC Card Reader (Front)
NFC	Yes

## Networking

Wireless Mode	2.4GHz IEEE 802.11b/g/n (Infrastructure), 5GHz IEEE 802.11g/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct)
Wireless Setup Support Utility	Wi-Fi Protected Setup (WPS)
Network Protocols IPV4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP server, POP3/IMAP4/SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNTTP Client, LDAP, HTTP Server, Syslog
Network Protocols IPV6	NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP server, Web Services (Print/Scan), POP3/IMAP4/SMTP Client, CIFS Client, SNTTP Client, DAP, ICMPv6, HTTP Server, Syslog
Email Alerts	E-mail Notification and Reports

## Network Management Utilities

Network Management	Windows: BRAdmin Light <sup>1</sup> , Web Base Management, BRAdmin Professional <sup>1</sup> , Network Remote Setup Mac: Web Base Management Linux: Web Base Management
Web Based Management	Yes
BRAdmin Professional	Windows only

## Security

<b>Wired Security</b>	APOP, SMTP-AUTH, SSL/TLS (IPP, IPPS, HTTP, HTTPS, SMTP, POP3, IMAP4, FTP, LDAP, LDAPS, TFTP, TFTP), SNMP v3, 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), OAuth 2.0(SMTP, POP3, IMAP4), Kerberos, IPsec
<b>Wireless Security</b>	APOP, SMTP-AUTH, SSL/TLS (IPP, IPPS, HTTP, HTTPS, SMTP, POP3, IMAP4, FTP, LDAP, LDAPS, TFTP, TFTP), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), OAuth 2.0(SMTP, POP3, IMAP4), Kerberos, IPsec
<b>Wireless Security Protocols</b>	SSID (32 chr), WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) *Wi-Fi Direct supports WPA2-PSK (AES) only.
<b>LDAP</b>	Lookup Address Book / User Authentication
<b>Active Directory Authentication</b>	Yes (User authentication)
<b>IPv4-Filter</b>	IPv4, IPv6
<b>Secure Print</b>	Windows/Mac
<b>Secure Function Lock</b>	(Version.3.0) Up to 100 registered users
<b>OAuth</b>	Ver 2.0
<b>SMB</b>	1.0 / 2.0 / 2.1/ 3.0 / 3.02 / 3.1.1
<b>TLS-SSL</b>	Open SSL: NA TLS: 1.0, 1.1, 1.2, 1.3
<b>Mobile / Web Printing</b>	
<b>Mobile Connect</b>	iOS/Android
<b>Airprint</b>	Yes
<b>Mopria</b>	Yes
<b>IPP Everywhere</b>	Yes
<b>Google ChromeOS</b>	Print, Scan
<b>Android Print Service Plugin</b>	Yes
<b>Mobile Applications</b>	Print Service Plugin, Mobile Connect
<b>Web Connect</b>	Scan To/Download and Print from: Google Drive, Evernote, DropBox, Box, OneDrive, OneNote, SharePoint Online
<b>Brother Apps</b>	Scan to PowerPoint, Scan to Excel, Scan to Word, Scan to Searchable PDF, Easy Scan to Email, Fax Forward to Cloud / Email, Scan to Mobile, Cloud Secure Print-Pull, Email Print
<b>Universal Print</b>	Yes
<b>Options</b>	

<b>Optional Paper</b>	BP-71GA3 - 20 Sheets (260gsm) Glossy Paper (A3), BP-71GA4 - 20 Sheets (260gsm) Glossy Paper (A4), BP-71GP20 - 20 Sheets (260gsm) Glossy Paper 6in x 4in, BP-60MA3 - 25 Sheets (145gsm) Matte Paper (A3), BP-60MA - 25 Sheets (145gsm) Matte Paper (A4), BP-60PA3 - 250 Sheets (72.5gsm) Plain Paper (A3), BP-60PA - 250 Sheets (72.5gsm) Plain Paper (A4)
<b>Consumables</b>	
<b>Inbox Consumables</b>	Up to 5400 BK pages Up to 3900 C/M/Y pages Based on ISO 24711 pattern/normal
<b>Standard Yield Ink</b>	LC536BK up to 1000 pages each, LC536 C/M/Y up to 900 pages each Based on ISO 24711 pattern/normal
<b>High Yield Ink</b>	LC536XLBK up to 2500 pages each, LC536XL C/M/Y up to 1500 pages each Based on ISO 24711 pattern/normal
<b>Super High Yield Ink</b>	LC536XXLBK up to 5000 pages each, LC536XXL C/M/Y up to 2500 pages each Based on ISO 24711 pattern/normal
<b>Ultra High Yield Ink</b>	LC537BK up to 12000 pages each, LC537 C/M/Y up to 10000 pages each Based on ISO 24711 pattern/normal
<b>Weights &amp; Measurements</b>	
<b>Size</b>	576(W) x 510(D) x 375(H)mm
<b>Weight</b>	22.4 Kg without consumables 23.5 Kg with consumables
<b>Size with Carton</b>	681(W) x 576(D) x 504(H)mm
<b>Weight with Carton</b>	28.9 Kg
<b>Environment</b>	
<b>Power Consumption</b>	Copying: 31W, Printing: 27W, Ready: 5.5W, Sleep: 0.9W, Off: 0.03W
<b>Sleep Mode</b>	Yes
<b>Power Save</b>	Yes
<b>Other</b>	
<b>Noise Level</b>	Sound Pressure Level: (Printing) Less than 54.5 dBA

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

**Disclaimers:**

1. Approximate page yields are declared in accordance with ISO/IEC 24711 2. Print speeds (ESAT) are measured in accordance with ISO/IEC 24734
3. Based on average monthly print volumes of approximately 200 pages in accordance with ISO IEC 24711 using 4 cartridges provided in-box. For additional page yield information, see go.brother/pageyield

 [youtube.com/user/BrotherAU/videos](https://youtube.com/user/BrotherAU/videos)

 [linkedin.com/company/brother-international-australia/](https://linkedin.com/company/brother-international-australia/)



**Working with you for a better environment**

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

[www.brotherearth.com](http://www.brotherearth.com)

